


SISTEMA DE CABOS

08

Gama completa de sistemas de sinalização através de cabos de aço e tensores que fornecem uma solução integral para a exposição em áreas de pontos de venda.

- 402** OMEGA SYSTEM
- 404** DELTA SYSTEM
- 406** GAMMA SYSTEM
- 408** EPSILON SYSTEM
- 410** FREE STANDING
- 411** ACRYLIC POCKET
- 412** LIGHT BOX



CABLE KIT Omega System

OMEGA FIXING KIT

DETAIL	KIT INCLUDES	INFORMATION
		Fixing kit contains: 3m length wire cable + 1 top fixing unit + 1 bottom fixing unit. The Omega Kit is ideal for storefronts, travel agencies or for banks.
FIXING KIT		
12.547	x2 	

OMEGA CHANNEL KIT

DETAIL	KIT INCLUDES	INFORMATION
		Channel kit contains: 3m length wire cable + 1 top channel unit + 1 bottom channel unit. Omega Kit is ideal for storefronts, travel agencies or for banks.
CHANNEL KIT		
12.546	x2 	

OMEGA TOP FIXING

DETAIL	SIZE	mm	INFORMATION
		Ø14 24	This metallic unit is suitable for a top fixation with the ceiling. It features a satin silver finish.
TOPFIXING	SIZE		
12.544	Ø14x24mm	x10 	

OMEGA TOP CHANNEL

DETAIL	SIZE	mm	INFORMATION
		Ø14 24 2	This metallic unit is suitable for a top fixation with channel connector. It features a satin silver finish.
TOP CHANNEL	SIZE		
12.542	Ø14x26mm	x10 	

OMEGA BOTTOM FIXING

DETAIL	SIZE	mm	INFORMATION
		Ø12 Ø14 57	Metallic unit for a bottom fixation with the floor. With a satin silver finish.
BOT.FIXING	SIZE		
12.545	Ø14x57mm	x10 	

OMEGA BOTTOM CHANNEL

DETAIL	SIZE	mm	INFORMATION
		Ø12 Ø14 57 2	Metallic unit for being used with channel connector. With a satin silver finish.
BOT. CHANNEL	SIZE		
12.543	Ø14x59mm	x10 	

OMEGA SYSTEM



* Acrylic. For info at this page also available but not included

OMEGA SINGLE POCKET CLIP

DETAIL	SIZE	*mm	INFORMATION
			This metallic single pocket clip is suitable for wires up to Ø1.5mm - Ø3mm. With silver finish.
SINGLE CLIP	SIZE		
12.540	Ø16x27mm	x10	

OMEGA DOUBLE POCKET CLIP

DETAIL	SIZE	*mm	INFORMATION
			Double metallic single panel clip for wires up to Ø1.5mm - Ø3mm. With silver finish.
DOUBLE CLIP	SIZE		
12.541	Ø16x39mm	x10	

ALUMINIUM TRACK

DETAIL	INFORMATION
	This track aluminium features 2 lengths available (2m or 3m).
TRACK	LENGTH
12.127	2000mm
12.128	3000mm

TRACK ENDCAP

DETAIL	SIZE	*mm	INFORMATION
			Connect this endcap to the aluminium track. Made of gray plastic.
ENDCAP	SIZE		
12.428	31x25mm	x10	

WIRE CABLE

DETAILS	INFORMATION	
		
REF 12.315	REF 12.311	
WIRE CABLE	LENGTH	Ø WIRE
12.315	25m	1.5mm
12.311	25m	3mm

OMEGA LOAD

DETAIL	SIZE	*mm	INFORMATION
			This Ø40 Aluminium load for wires is 500g weight, 170mm height.
LOAD	SIZE	WEIGHT	
12.117	Ø 40x170mm	500g	

OMEGA SYSTEM



ACRYLIC POCKET

DETAILS	INFORMATION	*mm
		
	320	232
	215	304
	A4 12.125	A4 12.126
	319	440
	427	303
	A3 12.352	A3 12.351

This transparent 2mm acrylic Pocket Folder features 2 formats with 2 orientations.

POCKET	STANDARD FORMATS		
12.125	A4 Horizontal	x10	
12.351	A3 Horizontal	x10	
12.126	A4 Vertical	x10	
12.352	A3 Vertical	x10	

DELTA TOP/WALL FIXING

FIXING DETAIL INFORMATION *mm



This movable and stylish Top Support is suitable for ceiling or wall. It includes adjust for tension. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. Ideal for storefronts, travel agencies or banks.

WALL FIXING	BASE SIZE	
12.316	Ø45x27mm	x4 

DELTA SYSTEM



DELTA TOP/BOTTOM FIXING

FIXING DETAIL INFORMATION *mm



Elegant and fixed support for ceiling or floor. Convenient for wire with a diameter of Ø1.5mm or Ø3mm. With chrome finish. Ideal for real estates, storefronts, travel agencies or banks.

BOTTOM FIXING	SIZE	
12.317	Ø45x40mm	x4 

CHROMED POCKET CLIP

CLIP DETAIL SIZE *mm INFORMATION




This chromed pocket fixing Clip is suitable for a single pocket. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.


CHROMED CLIP	SIZE	
12.318	Ø16x27mm	x10 

DOUBLE CHROMED POCKET CLIP

CLIP DETAIL SIZE *mm INFORMATION



This chromed pocket fixing Clip is suitable for 2 pockets. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.

DOUBLE CLIP	SIZE	
12.319	Ø16x39mm	x10 



* Acrylic Photo kits at this page are available but not included

WIRE CABLE Ø 1mm

CABLE DETAIL		INFORMATION
		Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.
ID CABLE	LENGTH	Ø WIRE
12.121	25m	1mm

WIRE CABLE Ø 1.5mm

CABLE DETAIL		INFORMATION
		Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1.5mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.
ID CABLE	LENGTH	Ø WIRE
12.315	25m	1.5mm

WIRE CABLE Ø 3mm

CABLE DETAIL		INFORMATION
		Roll of wire cable suitable for Cablekit systems. With a diameter of Ø3mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.
ID CABLE	LENGTH	Ø WIRE
12.311	25m	3mm

ACRYLIC POCKET

DETAILS



acrylic

INFORMATION *mm

215	320	440	232	319
A4	A3	A4	A3	
12.125	12.351	12.126	12.352	

This transparent 2mm acrylic Pocket folder features 2 formats with 2 orientations.

POCKET	STANDARD FORMATS			
12.125	A4 Horizontal	x10		
12.351	A3 Horizontal	x10		
12.126	A4 Vertical	x10		
12.352	A3 Vertical	x10		

DELTA SYSTEM



CABLE KIT Gamma System

GAMMA TOP/WALL FIXING

FIXING DETAIL SIZE *mm



INFORMATION

This movable and stylish Top Support is suitable for ceiling or wall. Convenient for wire with a diameter of $\varnothing 1.5$ mm or $\varnothing 3$ mm. With chrome finish. It is ideal for storefronts, travel agencies or banks.

WALL FIXING	BASE SIZE	
12.312	$\varnothing 45 \times 35$ mm	x4 

GAMMA WALL/BOTTOM FIXING

FIXING DETAIL SIZE *mm



INFORMATION

This movable and stylish bottom support is suitable for wall or floor placement. It includes adjust for tension. Convenient for cable wire up to $\varnothing 1.5$ - $\varnothing 3$ mm. With silver finish. Ideal for real states, for storefronts, travel agencies or banks, creating advertisement mosaics.

BOTTOM FIXING	BASE SIZE	
12.313	$\varnothing 45 \times 35$ mm	x4 

GAMMA SINGLE POCKET CLIP

CLIP DETAIL SIZE *mm



INFORMATION


This silver Vertical fixing Clip is suitable for holding a single panel. Convenient for cable wire with a diameter of $\varnothing 1.5$ mm or $\varnothing 3$ mm.

CHROME CLIP	SIZE	
12.314	$\varnothing 16 \times 27$ mm	x10 

GAMMA SYSTEM



* Acrylic Fixtures at this page are available but not included



GAMMA SYSTEM

WIRE CABLE Ø 1.5mm

CABLE DETAIL

INFORMATION



Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1.5mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

ID/CABLE	LENGTH	Ø WIRE
12.315	25m	1.5mm

WIRE CABLE Ø 3mm

CABLE DETAIL

INFORMATION



Roll of wire cable suitable for Cablekit systems. With a diameter of Ø3mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

ID/CABLE	LENGTH	Ø WIRE
12.311	25m	3mm

ACRYLIC POCKET

POCKET DETAILS











INFORMATION

*mm

215	320	440	232	319
A4	A3	A4	A3	
12.125	12.351	12.126	12.352	


This transparent 2mm acrylic Pocket folder features 2 formats with 2 orientations.

POCKET	STANDARD FORMATS			
12.125	A4 Horizontal	x10		
12.351	A3 Horizontal	x10		
12.126	A4 Vertical	x10		
12.352	A3 Vertical	x10		

* Magnetic Light Boxes at this page are available but not included

EPSILON TOP/WALL FIXING

FIXING DETAIL INFORMATION *mm



This movable and stylish Support is suitable for ceiling or wall. Convenient for cable wire up to Ø1.5 - Ø3mm. With chrome finish. Ideal for real states, for storefronts, travel agencies or banks.


BOTTOM/FLOOR	SIZE
12.320	Ø45x40mm x4 

EPSILON SYSTEM



EPSILON WALL/BOTTOM FIXING

FIXING DETAIL INFORMATION *mm




This movable and stylish Support is suitable for bottom/floor or wall. It includes adjust for tension. Convenient for cable wire up to Ø1.5 - Ø3mm. With chrome finish. Ideal for real states, travel agencies or banks.

WALL/FLOOR	BASE SIZE
12.321	Ø45x33mm x4 

CHROMED POCKET CLIP

CLIP DETAIL *mm INFORMATION



This chromed pocket fixing Clip is suitable for a single pocket. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.

CHROMED CLIP	SIZE
12.318	Ø16x27mm x10 

DOUBLE CHROMED POCKET CLIP

CLIP DETAIL *mm INFORMATION



This chromed pocket fixing Clip is suitable for 2 pockets. It is convenient for wire with a diameter of Ø1.5mm or Ø3mm.

DOUBLE CLIP	SIZE
12.319	Ø16x39mm x10 



* Acrylic Photo kits at this page are available but not included

WIRE CABLE Ø 1mm

CABLE DETAIL



INFORMATION

Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

ID CABLE	LENGTH	Ø WIRE
12.121	25m	1mm

WIRE CABLE Ø 1.5mm

CABLE DETAIL



INFORMATION

Roll of wire cable suitable for Cablekit systems. With a diameter of Ø1.5mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

ID CABLE	LENGTH	Ø WIRE
12.315	25m	1.5mm

WIRE CABLE Ø 3mm

CABLE DETAIL



INFORMATION

Roll of wire cable suitable for Cablekit systems. With a diameter of Ø3mm and a length of 25m. This hanging wire cable provides tension and firmness to the displaying of pockets.

ID CABLE	LENGTH	Ø WIRE
12.311	25m	3mm

ACRYLIC POCKET

POCKET DETAILS



INFORMATION

POCKET		STANDARD FORMATS	
12.125	A4 Horizontal	x10	
12.351	A3 Horizontal	x10	
12.126	A4 Vertical	x10	
12.352	A3 Vertical	x10	

This transparent 2mm acrylic Pocket folder features 2 formats with 2 orientations.

POCKET	STANDARD FORMATS	HEIGHT	WIDTH	DEPTH
12.125	A4 Horizontal	320	440	215
12.351	A3 Horizontal	303	440	215
12.126	A4 Vertical	304	232	215
12.352	A3 Vertical	427	319	215

EPSILON SYSTEM



FREE STANDING Free Standing

STAND DETAILS



12.354 FREE STANDING **KIT CONTENT** *mm

12.355 FREE STANDING **KIT CONTENT** *mm

12.356 FREE STANDING **KIT CONTENT** *mm

INFORMATION

The Free Standing is a cable support system for aluminum frame with feet and levelers. Featuring 3 different models. Every kit of Free Standing includes: 1 aluminium framework, Top connectors, Bottom connectors, Single pocket clips, Double pocket clips and Ø1.5mm cable. Acrylic pockets not included.

FREE STANDING	OUTER SIZE
12.354	900x2120x392mm
12.355	1200x2120x392mm
12.356	1500x2120x392mm

FREE STANDING



* Acrylic Pockets at this page are available but not included

ACRYLIC POCKET Acrylic Pocket

POCKET DETAILS





FORMATS *mm

215	320	303	440	304	232	427	319
	A4		A3		A4		A3
	12.125		12.351		12.126		12.352

INFORMATION

These transparent Pocket folders are made of 2mm acrylic thickness and 2 sizes are available (A3 and A4). It features an easy and simple graphic change. Also, portrait and landscape orientation of both sizes are available. These holder pockets can be used in a wide range of ways so users can create their own display based on their needs.

POCKET	STANDARD FORMATS	x10		
12.125	A4 Horizontal			
12.351	A3 Horizontal			
12.126	A4 Vertical			
12.352	A3 Vertical			

ACRYLIC POCKET




* Carry-into at this page are available but not included

LIGHTBOX DETAILS




DIMENSIONS ARTWORK *mm




LIGHTBOX SIZE	E (EXTERNAL)	C (CABLE DISTANCE)	BRIGHTNESS	VOLTAJE	POWER
A4	276x303mm	240x271mm	±1500LUX	12V	4.8W
A3	363x485mm	327x450mm	±1500LUX	12V	8.6W

INFORMATION

Light Boxes use 12V safe power and ultra bright LED lights and they are suitable for being used with any of the CableKit systems. Light Boxes feature a magnetic sealed design which makes it easy and fast to change the graphics. Compatible up to Ø1.5mm cable, these holder boxes can be used in a wide range of ways so users can create their own light display based on their needs. It features 2 formats (A4 and A3) with double sided format. The Kit, Power Supply and its Power Connector are supplied separately. Ideal for being used on showcases, art expositions, storefronts, restaurants, hotels, banks, travel agencies, etc...

DOUBLE A4	QTY	N.W	G.W	C.B.M	SIZE
Packing	2	2.3kg	2.5kg	0.021	410x330x90mm
		Graphic size		External size	
12.550	2 Sided A4	363x276x8mm		x2	

DOUBLE A3	QTY	N.W	G.W	C.B.M	SIZE
Packing	2	3.5kg	4kg	0.02	510x410x90mm
		Graphic size		External size	
12.551	2 Sided A3	486x363x8mm		x2	


LIGHT BOX



KIT POWER SUPPLY FOR LIGHT BOX

POWER SUPPLY DETAILS

KIT INCLUDES



INFORMATION

Supply Kit has 12V safe power and contains 1 Power Cord and 1 Connector cable.

POWER SUPPLY	POWER	CABLE LENGTH
12.552	12V 2A	2.5+1.5m

POWER CONNECTOR FOR LIGHT BOX

CONNECTORS DETAILS

SIZE

*mm



INFORMATION

These Power Connectors join the LED Lightboxes with the tension wire cable.

CONNECTOR	SIZE	
12.553	Ø12x12mm	x4 

FOR ANY CABLEKIT SYSTEM AVAILABLE

CABLE KIT DETAILS



INFORMATION

Light Boxes are suitable for being used with any of our CableKit systems.

WIRE CABLE

CABLE DETAILS

INFORMATION



Roll of wire cable suitable for Cablekit systems, with a length of 25m. 2 diameters available: Ø1mm and Ø1.5mm.

WIRE CABLE	LENGTH	Ø WIRE
12.121	25m	1mm
12.315	25m	1.5mm

LIGHT BOX

